

# Product Sheet

# Pop Silent

English Version



# Index

|     |                        |
|-----|------------------------|
| 3   | Overview               |
| 4   | Key features           |
| 5-6 | General specifications |
| 7   | Package contents       |
|     | Additional information |

# Pop Silent

## Simply sleek

Fractal fuse flair with function in the new Pop series of cases that doesn't skimp on aesthetics or flexibility. The Pop Silent offers a sound-damped build in excellent quality, giving all users plenty of options and room to maneuver.



# Key features

- Accommodates ATX / mATX / Mini ITX Motherboards
- Easily mounted tempered glass side panel lets you showcase your components (Pop Silent TG)
- Up to three HDDs and six SSDs (or two HDDs and five SSDs with one optical bay in use)
- Excellent noise reduction thanks to a closed front, a closed top, bitumen side panels and sound-damping foam
- Comes with three of our 120 mm Aspect fans
- Two neatly concealed 5.25" bays with storage drawer and magnetic cover
- Easy cable management with multiple tie-down points, pre-mounted velcro straps and convenient extra-large pass-through holes
- Front I/O comes with two 3.0 USB 5 Gb/s ports, Mic and headphone jacks
- Optional USB-C upgrade kit (available separately) adds a full speed USB Type-C front port
- Comes with two ultra-versatile storage trays, each supporting a 3.5" and a 2.5" drive simultaneously



# General specifications

|                                | Pop Silent TG                                          | Pop Silent Solid                                       |
|--------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| Dedicated 3.5" drive mounts    | • 0                                                    | • 0                                                    |
| Dedicated 2.5" drive mounts    | • 4 (2 included)                                       | • 4 (2 included)                                       |
| Combined 3.5/2.5" drive mounts | • 3 (2 included)                                       | • 3 (2 included)                                       |
| 5.25" drive mounts             | • 2                                                    | • 2                                                    |
| Expansion slots                | • 7                                                    | • 7                                                    |
| Motherboard compatibility      | • ATX / mATX / Mini ITX                                | • ATX / mATX / Mini ITX                                |
| Power supply type              | • ATX                                                  | • ATX                                                  |
| Front interface                | • 2x USB 3.0*, Audio                                   | • 2x USB 3.0*, Audio                                   |
| Total fan mounts               | • 3x 120 mm or 2x 140 mm                               | • 3x 120 mm or 2x 140 mm                               |
| Front fan                      | • 2x 120/140 mm<br>(2x Aspect 12 included)             | • 2x 120/140 mm<br>(2x Aspect 12 included)             |
| Top fan                        | • N/A                                                  | • N/A                                                  |
| Rear fan                       | • 1x 120 mm<br>(1x Aspect 12 included)                 | • 1x 120 mm<br>(1x Aspect 12 included)                 |
| Bottom fan                     | • N/A                                                  | • N/A                                                  |
| Dust filters                   | • PSU (nylon),<br>Front side intake (perforated steel) | • PSU (nylon),<br>Front side intake (perforated steel) |
| Front radiator                 | • Up to 280 mm                                         | • Up to 280 mm                                         |
| Top radiator                   | • N/A                                                  | • N/A                                                  |
| Rear radiator                  | • 1x 120 mm                                            | • 1x 120 mm                                            |
| Bottom radiator                | • N/A                                                  | • N/A                                                  |

# General specifications

|                            | Pop Silent TG                             | Pop Silent Solid                          |
|----------------------------|-------------------------------------------|-------------------------------------------|
| PSU max length             | • 170 mm                                  | • 170 mm                                  |
| GPU max length             | • 380 mm with front fan mounted           | • 380 mm with front fan mounted           |
| CPU cooler max height      | • 170 mm                                  | • 170 mm                                  |
| Cable routing space        | • 19 mm                                   | • 19 mm                                   |
| Cable routing grommets     | • No                                      | • No                                      |
| Fixed velcro straps        | • Yes, 2 pcs                              | • Yes, 2 pcs                              |
| Tool-less push-to-lock     | • N/A                                     | • N/A                                     |
| Captive thumbscrews        | • HDD brackets, SSD brackets, Side panels | • HDD brackets, SSD brackets, Side panels |
| Left side panel            | • Tempered glass, Clear Tint, 3 mm        | • Industrial sound dampened steel         |
| Right side panel           | • Industrial sound dampened steel         | • Industrial sound dampened steel         |
| Case dimensions (LxWxH)    | • 473.5 x 215 x 454 mm                    | • 473.5 x 215 x 454 mm                    |
| Net weight                 | • 7.3kg                                   | • 7.3kg                                   |
| Package dimensions (LxWxH) | • 554 x 311 x 550 mm                      | • 554 x 311 x 550 mm                      |
| Gross weight               | • 8.8kg                                   | • 8.8kg                                   |

\* USB 3.1 Gen 2 Type-C add-on available separately

# Package contents

## Pop Silent

- Pop Silent case
- Accessory bag
- User manual

# Additional information

| Product                        | SKU           | EAN           | UPC          | JAN           |
|--------------------------------|---------------|---------------|--------------|---------------|
| Pop Silent Black Solid         | FD-C-POS1A-01 | 7340172703037 | 843276103033 | 4537694285841 |
| Pop Silent Black TG Clear Tint | FD-C-POS1A-02 | 7340172703044 | 843276103040 | 4537694285858 |
| Pop Silent White TG Clear Tint | FD-C-POS1A-04 | 7340172703068 | 843276103064 | 4537694285872 |