

PHILIPS

Philips 8718699694968 LED bulb Cool white 4000 K 10 W E27 F

Brand : Philips by Signify

Product code: 8718699694968

Product name : 8718699694968

Philips 8718699694968. Bulb power: 10 W, Equivalent bulb power: 75 W, Fitting/cap type: E27, Luminous flux: 1055 lm, Bulb lifetime: 15000 h, Light colour: Cool white, Colour temperature: 4000 K, Beam angle (max): 200°, Color Rendering Index (CRI): 80, Power factor: 0.54



Performance		Packaging data	
Bulb shape *	A-Shape	Package type	Box
Luminous flux *	1055 lm	Package gross weight	190 g
Bulb lifetime *	15000 h	Other features	
Equivalent bulb power *	75 W	Placement supported	Indoor
Light colour *	Cool white	Material	Plastic
Colour temperature *	4000 K	AC input voltage	220-240 V
Colour temperature (min)	4000 K	Rated lifetime	15000 h
Colour temperature (max)	4000 K	Energy consumption (1000 hours)	10 kWh
Finish type	Frosted	AC input frequency	50-60 Hz
Dimmable	✗	Energy efficiency class (old)	A+
Beam angle (max)	200°	Technical details	
Color Rendering Index (CRI)	80	Bulb technology	LED
Power factor	0.54	Replacement bulb power (max)	10 W
Number of switch cycles	50000	Mercury content	0 mg
Lumen maintenance factor	70%	Rated power	10 W
Luminous efficacy	105 lm/W	Start-up time	0.5 s
Warm-up time to 60% light	0.5 s	Bulb type	LED
Bulb power *	10 W	Colour code	840 CCT of 4000K
Fitting/cap type *	E27	Colour consistency (SDCM)	6
Light distribution	Non-directional	Glass type	Matt
Instant full light	✓	Power consumption (1000 hours)	10 kWh
Power		Housing material	Plastic
Energy efficiency class *	F	Rated beam angle	180°
Energy consumption per 1000 hours *	10 kWh	Rated luminous flux	1055 lm
Bulb current	80 mA	Bulb lifetime (@ 2.7 hrs/day)	15 year(s)

Power		Technical details	
Input voltage	220-240 V	Eye comfort	✗
Input frequency	50-60 Hz	Nominal luminous flux	1055 lm
Weight & dimensions		Product title	LED 75W A60 E27 CW FR ND 4PF/6 DISC
Diameter	6 cm	EOC code	871869969496802
Length	104 mm	SAP width per piece	12,200 cm
Width	60 mm	SAP length per piece	6,200 cm
Depth	108 mm	SAP height per piece	17,600 cm
Height	108 mm	SAP EAN gross weight per piece	0,000 g
Weight	53 g	Logistics data	
Packaging data		EAN/UPC/GTIN (packaging)	8718699694968
Quantity per pack	4 pc(s)	12NC Logistic code(s)	929002306604
Package width	122 mm	SAP EAN/UPC per set	8718699694968
Package depth	62 mm		
Package height	176 mm		
Package weight	190 g		
Package net weight	140 g		



8718699694968

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.