

Delock Magnetic Thunderbolt™ 3 USB-C™ Cable 4K 60 Hz male to male angled 1.20 m

Description

This magnetic cable by Delock is suitable for connecting e.g. smartphones, iPads, storage media etc. with USB-C™ interface to systems with Thunderbolt™ 3 port. The accompanying USB-C™ magnetic adapter is designed to remain in the device's jack and prevent wear and tear on the jack, as well as serve as dust protection. If needed, the cable with the magnetic side can be connected to the adapter at any time. In addition, due to the angled shape, the USB Type-C™ jack can be reached more easily even in hard-to-reach places.

Magnetic function

When using the adapter, it can be connected to the cable's interface, which is also magnetic, via the magnetic counterpart. The magnetic force supports a secure connection.

Quality

Optically and qualitatively the adapter convinces by its elegant aluminium housing, which makes it very robust, light weight and durable. The spring contacts (Pogo pins) guarantee a high functional reliability with a very high contact durability.



1,2 m

Note

The connection can be disconnected if the cable is subject to strong tensile stress.

Specification

- Connectors:
 - Adapter:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ male > 20 Pogo pin
 - Cable:
 - 20 Pogo pin > 1 x Thunderbolt™ 3 USB Type-C™ male
- Transmission of audio and video signals
- Cable gauge:
 - 32 AWG data line
 - 24 AWG power line
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDR
- Power supply up to 100 W (20 V / 5 A)
- Cable diameter: ca. 4.5 mm
- Contacts gold-plated
- Cable length without connectors: ca. 1.2 m
- Colour: white / silver

System requirements

- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port
- Mac, PC or laptop with a free Thunderbolt™ 3 port

Package content

- Adapter
- Cable

Item no. 86703

EAN: 4043619867035

Country of origin: China

Package: Retail Box



Images



Pogo Pin





Interface	
Connector 1:	1 x serial Sub-D 9 female with nuts
Connector 2:	1 x serial Sub-D 9 female with nuts
Physical characteristics	
Cable diameter:	5.5 mm
Conductor gauge:	26 AWG
Screw distance:	24.5 mm
Screw type:	#4-40 UNC
Length:	2 m
Colour:	dark grey